

Faraz Pisheh

Faraz Pisheh Industrial & Chemical Complex



Joint Venture with  Trademark of Hands Free Painting. Since October 2010 , Melbourne - Australia

Faraz Pisheh and "Solution for a better life." are trademarks of Faraz Pisheh Company. ©2011 Faraz Pisheh Company. For more information about Faraz Pisheh Products, visit; www.farazpisheh.ir

Address: No 276, South Malard villa Tel: 021-65406322-4
Malard, Tehran, Iran Email: Info@farazpisheh.ir
Po Box: 3166164246 Instagram: FARAZPISHEH_PAINT
Fax: 021- 65402531 Telegram: @farazpishehco


Paint Manufacturer



BOOK-02
GENERAL CATALOG 2017-2018



Faraz Pisheh
Established 1987
Faraz Pisheh Company © 2011



About Faraz Pisheh

We know that being a leader in the industry requires one resource above all others means great people. our employees are appreciated for all their contributions. They are valued as members of an extraordinary team that enjoys of our company, The success and recognition that us has garnered over the years can be directly attributed to the contribution of Faraz Pisheh team members. It is their magnificent commitment to quality, innovation, value and performance that has been the backbone of the company's success.

We enjoy great brand presence and a reputation for unparalleled quality, innovation, value and performance. People know and love our brand. Our ability to continually set industry highs for quality, performance and value depends upon our steadfast maintenance of our product, recognition of changing technologies, reward and acknowledgement of our people, proactive responses to the needs of our customers and continued commitment to innovation, research and development of new products. Our diverse and exceptionally experienced team searches out, develops and evaluates new materials, technologies and services that continue to improve our products and streamline our processes, both in-store and online. We are at your service to design, manufacture and deliver the best solutions for our mutual needs & applications.

As a dynamic company, we actively embrace quality and innovation to bring our industry and our customers the very best products and services. Our bold entrepreneurial spirit and our commitment to integrity and to doing the right thing has been the cornerstone of our success.





OIL PURE COLOUR ENAMEL GLOSS FINISH

Code: 600

We are offering high quality Super Oil Base Full Gloss Enamel along with Cheap White Gloss Paint and Non Slip Paint For Wood. SUPER OIL BASE HIGH-GLOSS ENAMEL is based on alkyd resins and the most recent formulation available in paint industry with compatibility to various climates. This product provides a professional quality, high hide, mildew resistant alkyd finish with excellent stain removal. It is a fast drying, durable high-gloss enamel that helps protect interior and exterior surfaces against repeated abrasion, rust and a variety of chemicals.



LONG OIL ALKYD RESIN BASED ON SOYA FATTY ACID 70%

Code: LR - 18 S 70

This resin has been formulated base upon Soya Fatty Acid & has of a good properties like good brushing & drying time. extensive film flexibility, very good yellowing resistance & gloss retention, good durability & out door resistance. This resin applied in decorative alkyd base paints, metal primers , architectural paints varnish wood & steel primers.



This resin applied in decorative alkyd base paints, metal, primers , architectural paints varnish wood & steel primers.



The best thing about our Exterior Acrylic Semi Gloss Paints is their excellent flow and lapping properties. Our Acrylic Paints are recommended for exterior surfaces such as plaster, cement, brick, cement composition panels and wood. It provides an attractive washable finish. There is no typical paint smell so painted rooms can be occupied within hours of painting. Fast drying time, ease of application and environmentally friendly, are the other advantages of this paint. This high-performing product will change the way you paint.

The best thing about our Exterior Acrylic Semi Gloss Paints is their excellent flow and lapping properties.



PREMIUM EXTERIOR ACRYLIC SEMI GLOSS PAINT

Code: FP 3001

SHORT OIL ALKYD RESIN BASED ON SOYA FATTY ACID 60%

Code: SR - 19 S 60

This resin has been formulated base upon Soya Fatty Acid & has of a good properties like good brushing & drying time. extensive film flexibility, very good yellowing resistance & gloss retention, good durability & out door resistance. This resin applied in industrial alkyd base paints, metal primers , furnace paints sealer coating wood & steel primers.



SWIMMING POOL PAINT Code: FP 617

Acrylic solvent base swimming pool paint has been formulated based on high resistance resin against waters and has had a good adhesion over on cements concretes and brick surfaces. This paint has been designed for painting the pools and are offered to painting for humid areas. Drying time, high coverage and good resistance, UV barrier and high anti corrosions are features of this product.




FULL GLOSS FURNACE PAINT Code: 300

High gloss furnace paint has been formulated to be applied over on phosphated steel sheets and are being singlet applied. High flexibility, good adhesion and gloss consistency are outstanding traits of this product. This product are generally being used for steel, iron equipments and plates and are offered for painting commercial stationary or residential products like laundry machine, microwaves, etc.




RUST GUARD ENAMEL RED OXIDE - Grade I Code: 2250

We are offering superior quality Rust Inhibiting Paint that is easy to apply and features exceptional durability. For the same reason, our rust guard is highly appreciated in the market. RUST GUARD ENAMEL is based on alkyd resins and the highest corrosion resistant materials. This primer is applied on metal or similar surfaces as the first layer and has a suitable adhesion and durability.



This specialty primer blocks stains resulting from smoke, water, and fire damage. White undercoat paint also provides the ultimate adhesion of interior and exterior topcoats. 199 is ideal for use on exterior bare wood surface, ferrous metals, trim, shakes, shingles, fences, unprimed hardboard, aluminum, wrought iron and well bonded wallpaper. This blocks common wood stains and promotes optimum adhesion of latex and oil-based topcoats, helps inhibit rust and is backed by a lifetime guarantee.

OIL PURE COLOUR ENAMEL UNDERCOAT Code: 199




This resin has been formulated base upon Soya Fatty Acid & has of a good properties like good brushing & drying time.



**LONG OIL ALKYD RESIN
BASED ON SOYA FATTY
ACID 60%**
Code: LR - 18 S 60


This resin has been formulated base upon Soya Fatty Acid & has of a good properties like good brushing & drying time, extensive film flexibility, very good yellowing resistance & gloss retention, good durability & out door resistance. This resin applied in decorative alkyd base paints, metal primers , architectural paints varnish wood & steel primers.

This resin has been formulated base upon Soya Fatty Acid & has of a good properties like good spray features as well as quick drying time, extensive film flexibility, very good yellowing resistance & gloss retention, good durability & out door resistance. This resin applied in production of spray paints such as automotive touchup, radiator paints and also alkyd traffic paint.



**MEDIUM OIL ALKYD
RESIN BASED ON SOYA
FATTY ACID 55%**
Code: MR - 17 S 55

We, Faraz Pisheh Co, are counted amid the prominent white ceiling paint suppliers in Iran.



WHITE PVA PAINT
Code: 9001x2 Grade 2

White Ceiling Paint of the best quality. We, Faraz Pisheh Co, are counted amid the prominent white ceiling paint suppliers in Iran.

The ceiling paint that we offer is prepared using the finest Paint raw materials and has exceptional features such as colouring in one coat, we also provide a wide range of paint colours as well.



Faraz Pisheh
Manufacturer of Decorative & Industrial Coatings, Alkyd Resins

WHITE PVA PAINT Code: 9002 Grade 2

White Ceiling Paint of the best quality.

We, Faraz Pisheh Co, are counted amid the prominent white ceiling paint suppliers in Iran.

The ceiling paint that we offer is prepared using the finest Paint raw materials and has exceptional features such as colouring in one coat., we also provide a wide range of paint colours as well.



It also provides the ultimate adhesion of interior and exterior topcoats.



ACRYLIC EMULSION
PRIMER
Code: FP 444

Our comprehensive range of Paints and Resins also includes Sealer acrylic primer undercoat.

ACRYLIC PRIMER - SEALER & UNDERCOAT is based on acrylic resins and the most recent formulation available in paint industry with compatibility to various climates. This specialty primer blocks stains resulting from smoke, water, and fire damage.

It also provides the ultimate adhesion of interior and exterior topcoats.

It is ideal for use on exterior bare wood surface shingles, fences, unprimed hardboard and well bonded wallpaper.

TWO PACK POLYURETHANE TOP COAT Code: FP-405

This two pack polyurethane coating has been formulated based on polyurethane resins isocyanate hardener for metal and steel sheets and concrete areas painting.

These coatings compared with alkyd paints has had a very good resistance against different types of chemical corrosions and solvents.

A wide range of areas are being coated with this special type of paint.



Recommended for use as a floor finish in heavy traffic and chemical spill areas.



POLYAMIDE EPOXY
COATING
Code: FP 401

This product is recommended for heavy-duty service in corrosive industrial environments over properly prepared and primed steel, galvanized steel, aluminum, copper and brass.

Also recommended for use on masonry surfaces, plaster walls, drywall construction, cement-fiberglass board, wood, and concrete block where a tough, impact resistant coating is needed.

Recommended for use as a floor finish in heavy traffic and chemical spill areas.

Faraz Pisheh
Manufacturer of Decorative & Industrial Coatings, Alkyd Resins

We, Faraz Pishch Co, are counted amid the prominent white ceiling paint suppliers in Iran.



WHITE PVA PAINT Code: 9001 Grade 1

White Ceiling Paint of the best quality.

We, Faraz Pishch Co, are counted amid the prominent white ceiling paint suppliers in Iran.

The ceiling paint that we offer is prepared using the finest Paint raw materials and has exceptional features such as colouring in one coat., we also provide a wide range of paint colours as well.



RUST GUARD ENAMEL RED OXID, GRADE 2 Code: 4250

We are offering superior quality Rust Inhibiting Paint that is easy to apply and features exceptional durability. For the same reason, our rust guard is highly appreciated in the market. RUST GUARD ENAMEL is based on alkyd resins and the highest corrosion resistant materials. This primer is applied on metal or similar surfaces as the first layer and has a suitable adhesion and durability.



The properties of heat-resistant coating systems are determined mainly by the constituent binders, fillers and pigments.

HEAT RESISTANT PAINT TO 500 °C Code: 852

Our heat resistance coating are formulated and designed based on silicone resins confer outstanding properties on protective coatings and exhaust systems, especially those which are continuously exposed to extreme temperatures and rapid temperature fluctuations.

The properties of heat-resistant coating systems are determined mainly by the constituent binders, fillers and pigments.

Coatings formulated on silicone resins readily withstand temperatures in excess of 250 °C without being destroyed or suffering adhesion failure.

from oil and gas assets to chemical processing plants and power stations; all will have vessels, valves, pipework and other equipment operating at elevated temperatures and most require specialist protection from these high temperatures in the form of a coatings solution.



HEAT RESISTANCE UP TO 400 CELSIUS Code: 851

This paint is formulate based on silicon resin and prepared using the finest raw materials and has exceptional features and resistance to 400 Celsius and are recommended for interior radiators tankers painting and gas networks.



The properties of heat-resistant coating systems are determined mainly by the constituent binders, fillers and pigments.



**HEAT RESISTANT
PAINT TO 250 °C**
Code: 850

Our heat resistance coating are formulated and designed based on silicone resins confer outstanding properties on protective coatings and exhaust systems, especially those which are continuously exposed to extreme temperatures and rapid temperature fluctuations. The properties of heat-resistant coating systems are determined mainly by the constituent binders, fillers and pigments. Coatings formulated on silicone resins readily withstand temperatures in excess of 250 °C without being destroyed or suffering adhesion failure which makes them ideal for use on BBQs, fireplaces, chimneys, pipes, engines, exhaust pipes, log-burners and many more metal/metallic items requiring heat proof treatment.




Premium Interior Acrylic Flat Paint from us and see those ideas getting transformed into reality.

The Premium Interior Acrylic Flat Paint that we provide is best suited for the walls and ceilings specifically in high traffic areas. Be it the children's rooms, hallways or the family rooms, Premium Interior Acrylic Flat Paint can be applied everywhere.

The Premium Interior Acrylic Flat Paint is appreciated for its varied features that include washable finish.

And because the Premium Interior Acrylic Flat Paint is odourless, the rooms can be occupied right within Some hours of painting.



**FENOMASTIC ACRYLIC
MATT FINISH**
Code: FP 3004

The speciality of this paint is that it is compatible to various climates.



**OIL PURE COLOUR
ENAMEL MATT FINISH**
Code: 699

Faraz Pisheh brings forth super oil base flat enamel that is based on alkyd resins and the most recent formulation available in paint industry. The speciality of this paint is that it is compatible to various climates. It provides a professional quality, high hide, mildew resistant alkyd finish with excellent stain removal. As well as fast drying, durable matt enamel that helps protect interior and exterior surfaces against repeated abrasion, rust and a variety of chemicals.

PREMIUM EXTERIOR ACRYLIC SATIN PAINT Code: FP 4001

The best thing about our Exterior Acrylic Semi Gloss Paints is their excellent flow and lapping properties.

Our Acrylic Paints are recommended for exterior surfaces such as plaster, cement, brick, cement composition panels and wood. It provides an attractive washable finish.

There is no typical paint smell so painted rooms can be occupied within hours of painting. Fast drying time, ease of application and environmentally friendly, are the other advantages of this paint. This high-performing product will change the way you paint.



ZINC CHROMATE COATINGS

This product is a two pack Epoxy Zinc chromate coating. Corrosion resistance with excellent adhesion to the substrate this product is universally recommended for direct application on Ferrous as well as non-ferrous metals like Aluminium, stainless steel, zinc alloy, casting & galvanized substrates after proper surface preparation. This high performance coating is recommended to OEM's Automobile & Locomotives Marine structures, Process Industry etc.



PREMIUM EXTERIOR ACRYLIC FULL GLOSS PAINT Code: FP 4001 E2

The best thing about our Exterior Acrylic Full Gloss Paints is their excellent flow and lapping properties.

Our Acrylic Paints are recommended for exterior surfaces such as plaster, cement, brick, cement composition panels and wood. It provides an attractive washable finish.

There is no typical paint smell so painted rooms can be occupied within hours of painting. Fast drying time, ease of application and environmentally friendly, are the other advantages of this paint.

This high-performing product will change the way you paint.



SPECIAL THINNER FOR THERMOPLASTIC COATINGS Code: 10200

This thinner is formulated for thinning down of thermoplastic coatings and diluting of this type of special paint, the ratio of dilution is fully depends on paint thickness, the type of areas and the method of application.


ALKYD PRIMER Code: FP-105

Alkyd primer are recommended for middle climates for painting on metal sheets, and factory foundations or residential stuff or commercial equipments. Drying time, good adhesion and high coverage are outstanding features of this item.



PREMIUM INTERIOR ACRYLIC FULL GLOSS PAINT Code: FP 3002

The best thing about our Interior Acrylic Full Gloss Paints is their excellent flow and lapping properties. Our Acrylic Paints are recommended for interior surfaces such as plaster walls, architraves, composition panels and wood. It provides an attractive washable finish. There is no typical paint smell so painted rooms can be occupied within hours of painting. Fast drying time, ease of application and environmentally friendly, are the other advantages of this paint. This high-performing product will change the way you paint.



MORTAR EPOXY COATING FOR FLOORS

Heavy duty Epoxy Mortar Systems provide sanitary, skid-resistant and highly impact resistant surfaces, exhibiting impressive compressive strength and point-load capacity. This product adds performance, longevity and durability to concrete, offering outstanding lifecycle value, these floors easily tolerate the harsh environments found in industrial settings. A variety of stock and custom colors can be conveniently achieved with the addition of 100% Solids Colorants.

Our comprehensive range of Paints and Resins also includes Sealer acrylic primer undercoat. ACRYLIC PRIMER - SEALER & UNDERCOAT is based on acrylic resins and the most recent formulation available in paint industry with compatibility to various climates. This specialty primer blocks stains resulting from smoke, water, and fire damage. It also provides the ultimate adhesion of interior and exterior topcoats. It is ideal for use on exterior bare wood surface shingles, fences, unprimed hardboard and well bonded wallpaper.




It also provides the ultimate adhesion of interior and exterior topcoats.



ACRYLIC SEALER PRIMER Code: FP 999

Faraz Pisheh
Manufacturer of Decorative & Industrial Coatings, Alkyd Resins



POLYURETHANE THINNER
Code: 10300

We are one of the foremost manufacturers of premium quality of PU Thinner in Iran. Backed by a team of experienced professionals, we have become the most prominent Manufacturer, Exporter and Supplier of PU Thinner in Iran Which is broadly used in Paint industry. Manufactured PU Thinner is available in Barrels and Tankers as per the needs of the clients. We manufacture with most economical prices of Paint Thinners which are highly acclaimed by our current clients.



RUST GUARD ENAMEL is based on alkylid resins and the highest corrosion resistant materials.



TWO PACKS TRAFFIC COATING

This two pack product are formulated based on synthetic acrylic resin which will become so hard after dilution with it's second pack. The adhesion of this coating to asphalt and concrete are magnificent and prompt hardening is one of the outstanding features of this product. So it's highly recommended for pedestrian crossing pavement marking and high traffic areas under UV.



EPOXY THINNER
Code: 10100

Faraz Pisheh epoxy thinner is formulated for thinning down for primer zinc rich and middle and top epoxy paints. The amount of thinning are fully depends on paints viscosity, the type of surface as well as the method of application and the equipments which will be used.



THERMOPLASTIC ACRYLIC TRAFFIC COATING

This product is widely acknowledged for their unique features like precise composition among our treasured patrons. The offered range of products is precisely processed making use splendid quality material, sourced from the genuine vendors of the industry. Our clients can avail this product from us at reasonable rates. Features: Excellent composition, Best in use Reliable.





HEAT RESISTANCE UP TO 600 CELSIUS Code: 853

This paint is formulated based on silicon resins and aluminium pastes and prepared using the finest raw materials and has exceptional features and very good resistance to 400 Celsius against humidity and industrial areas. This special product is recommended for interior radiators, tankers, painting and gas networks.




This product is a safe and solid foundation for a complete long-lasting coating system.

ZINC RICH EPOXY POLYAMIDE PRIMER Code: FP 400

This product is a safe and solid foundation for a complete long-lasting coating system. It is specially designed as a primer in coating systems where extended durability is required and is a two-component polyamide cured zinc rich epoxy coating. It is a high solids, high zinc dust-containing product.

Product type: Anticorrosive coating
Area of Use: Structural steel and piping exposed to a wide range of corrosive atmospheric environments up to very high. Recommended for offshore environments, refineries, power plants, bridges, buildings, mining equipment and general structural steel.



HEAT RESISTANCE SILVER PAINT Code: FP - 520


It's recommended for metal, wood, plaster, cement exterior and interior surfaces of buildings.

Such as:

- Gas pipes and industrial heaters.
- Heater radiators.
- Bridges and light posts.
- All types of metal fence.
- Metal roofs.
- Power plants and refineries.
- Water, oil and gas tanks.



This product is a two-pack primer based on epoxy resin, coal tar, and polyamide hardener. This product carries a really good mechanical and chemical feature against corrosion, impact, seawater, raw oils, and aliphatic solvents. The high resistance of this product has caused it to be consumed so much in steel sheets, industrial painting, as well as concrete surfaces, drainage pipes, and petroleum tankers.



COAL TAR EPOXY POLYAMIDE COATING



This product is a two-pack primer based on epoxy resin, coal tar, and polyamide hardener.

The offered range of products is precisely processed making use splendid quality material, sourced from the genuine vendors of the industry.



THERMOPLASTIC ACRYLIC PAINT Code: FP 1200

This product is widely acknowledged for their unique features like precise composition among our treasured patrons. The offered range of products is precisely processed making use splendid quality material, sourced from the genuine vendors of the industry. Our clients can avail this product from us at reasonable rates.
Features: Excellent composition, Best in use Reliable.



Phosphate coatings are a crystalline conversion coating for steel and other metals that is formed on a ferrous metal substrate. The process of Phosphate coating is employed for the purpose of pretreatment prior to coating or painting increasing corrosion protection and improving friction properties of sliding components. In other instances, phosphate coatings are applied to threaded parts and top coated with oil (P&O) to add anti-galling and rust inhibiting characteristics. The phosphating process relies on the basic pickling reaction that occurs on the metal substrate when the process solution comes in contact with the metal. The main benefits that phosphating provides is strong adhesion and corrosion protection. Typically, phosphate coatings used on steel parts but can also be used on aluminum. Metal coatings offers both zinc phosphate and manganese phosphate coating. Our phosphate coatings additionally are offered in both dark gray & black.

Typically, phosphate coatings used on steel parts but can also be used on aluminum.



PHOSPHATE COATING

EPOXY SEALANT COATING Code: FP-421



This two pack product are formulated based on synthetic acrylic resin which will become so hard after dilution with it's second pack. The adhesion of this coating to water tanks are magnificent and prompt hardening is one of the outstanding features of this product.



fire retardant coatings are water-based, low VOC content and low VOC emissive formulations.

FIRE RETARDANT COATINGS

Code: FP-431

Fire retardant coatings provide site-applied fire protection to various substrates in accordance with our evaluation report ER 305.

fire retardant coatings are water-based, low VOC content and low VOC emissive formulations.

To meet the needs of our customers, we offer certified fire retardant coating installations and DIY fire retardant coatings available through select retail outlets.



THINNERS

Code: 10000

This thinner is formulated for thinning down of sealer stains killer paints, the ratio of dilution is fully depends on paint thickness, the type of areas and the method of application.

WHITE PVA PAINT

Code: 900

White Ceiling Paint of the best quality.

We, Faraz Pisheh Co, are counted amid the prominent white ceiling paint suppliers in Iran.

The ceiling paint that we offer is prepared using the finest Paint raw materials and has exceptional features such as colouring in one coat., we also provide a wide range of paint colours as well.



CLEAR VARNISH OIL ENAMEL

Code: 888

We are among the topmost Manufacturers and Suppliers of clear varnish oil Enamel.

Our Clear Varnish Oil Enamel dries up quickly, has good coverage and is attributed with excellent abrasion resistance.

ENAMEL LACQUER is recommended for covering all interior wooden surfaces such as furniture, cabinet, wooden doors and similar surfaces. It has high adhesion and prevents from air entrance to final layer.

